-	141	proxy with intermediate and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 16:38
-	0	proxy with intermediate with (authenticat$6 or validat$5) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 16:38
-	332	intermediate with (authenticat$6 or validat$5) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 16:38
-	37	intermediate with (authenticat$6 or validat$5) with request$5 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 16:42
-	99	proxy adj server with authenticat$5 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 16:51
-	54	(713/155.ccls. and @ad<=20001004) and intermediate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 17:46
-	5	authenticat$5 with network with intermediate.ab. and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 17:48
-	14	authenticat$5 with network with proxy.ab. and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 17:48
-	3	intermediate with (send$5 or transmit$5) with authenticat$5 with server and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 17:59
-	8	biometric$ with authenticat$5 with network with access and @ad<=20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 18:46
-	8	biometric$ with authenticat$5 with network with access and biometric$ and @ad<=20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 18:52
-	44	biometric$ with authenticat$5 with network and @ad<=20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 18:52
-	11	biometric$ with authenticat$5 with network.ab. and @ad<=20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 18:58
-	13	biometric$ with (authoriz$5 or authenticat$5) with network with access and @ad<=20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 18:59
-	31	intermedia$5 with authenticat$6 with network and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 15:57
-	17	proxy with secur$6 adj server and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 16:03

C:\APPS\EAST\Workspaces\09678804 method and system for controlling access by clients to servers over an internet protocol network.wsp

-		194	authenticat$5 with forward$5 with request and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 16:04
-		412	proxy with server with local and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 13:38
-		185	proxy with server with LAN and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 13:38
-		208	potential adj2 (database or list) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 15:46
-		3	potential adj client near (database or list) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 15:51
-		15	potential adj user near (database or list) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 15:51
-		30	proxy with internet adj address and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:15
-		5	authenticat$5 with network with unique with (hardware or software) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:17
-		94	authenticat$5 with serial adj number with electronic$6 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:25
-		77	authenticat$5 with serial adj number near2 electronic$6 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:25
-		2	authenticat$5 with serial adj number near2 electronic$6 with computer and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:26
-		6	authenticat$5 with (esn or (serial adj number near2 electronic$6)) with computer and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:27
-		26	authenticat$5 with (esn or (serial adj number near2 electronic$6)) with network and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:45
-		15	authenticat$5 with time$out with response and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:48
-		22	error with response with authenticat$5 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:50
-		6	authenticat$6 with default with (response or message) with request and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 17:28

C:\APPS\EAST\Workspaces\09678804 method and system for controlling access by clients to servers over an internet protocol network.wsp

-	6	(time$out or (time adj out)) with default with (response or message or reply) with request and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 17:36
-	81	(time$out or (time adj out)) with default with (message or response or reply) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 17:40
-	141	initiat$5 with authenticat$6 with receiv$6 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 18:30
-	15	initiat$5 with authenticat$6 with receiv$6 with ident$8 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 18:30
-	151	authenticat$5 with computer with (id or identif$) with network and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 19:08
-	5	stor$5 with potential with (authori$9 or authenticat$5) with (database or list) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 19:16

L Number	Hits	Search Text	DB	Time stamp
9	59	potential adj2 user with authori$5 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:41
12	89	potential adj2 user with (enroll$5 or register$5 or add$3) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:43
15	0	stor$5 with potential near2 (database or list) with authenticat$9 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:44
16	112	stor$5 with potential near2 (database or list) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:44
17	0	stor$5 with potential near2 (database or list) with unauthoriz$6 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:45
18	2	stor$5 with potential near2 (database or list) with authori$9 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:45
19	2	(stor$5 or add$5) with potential near2 (database or list) with (authenticat$6 or authori$9) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:46
20	3	(stor$5 or add$5) with potential near2 (database or list) with (valid$6) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:49
21	1	(stor$5 or add$5) with potential near2 (database or list) with (verif$8) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:49
28	179	authenticat$5 with esn	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:09
29	121	authenticat$5 with esn and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:09
32	25	authenticat$5 with esn with network and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:09
39	5	authenticat$5 with (time$out or (time adj out)) with message and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:27
40	2	authenticat$5 adj2 (data or information) with (send$5 or transmit$5) with (time$out or (time adj out)) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:28
41	4	authenticat$5 adj2 (data or information) with (time$out or (time adj out)) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:28
-	1	intermediate adj (secur$5 or authenticat$6) adj2 server and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 10:49